科学研究費助成事業(科学研究費補助金)研究成果報告書

平成 23 年 9 月 30 日現在

機関番号:82110				
研究種目:若手研究(B)				
研究期間:2009~2010				
課題番号:21760031				
研究課題名(和文)超音速分子ビームの立体衝突制御による新規触媒表面の創製				
研究課題名(英文) Aligned/oriented molecule-surface interactions: towards the				
development of new catalysts.				
研究代表者				
HARRIES. James				
独立行政法人日本原子力研究開発機構・量子ビーム応用研究部門・研究員				
研究者番号: 30416383				

研究成果の概要(和文):

本研究では新しい触媒などの開発に向けて、アラインされた分子ビームと表面との反応に関す る研究開発がメインの目的です。主な成果は、アルミ、それから水素貯蔵材料として使われて いる VCrTi の酸化・窒化表面の創製制御・解析である。アライン分子ビームの反応を追及でき る研究基盤ができた。詳細結果は投稿論文でまとめている。

研究成果の概要(英文):

Work during this project has been towards the development of new catalysts etc. making use of reactions between aligned molecules and surfaces. The main results are the study of oxides and nitrides of Aluminium, and hydrogen storage materials such as VCrTi. A base for the study of the interaction of aligned molecules with surfaces has been formed. The detailed results are under consideration for publication.

交付決定額

			(金額単位:円)
	直接経費	間接経費	合 計
2009 年度	2, 100, 000	630,000	2, 730, 000
2010 年度	1, 300, 000	390,000	1,690,000
年度			
年度			
年度			
総計	3, 400, 000	1,020,000	4, 420, 000

研究分野:工学 科研費の分科・細目: 応用物理学・工学基礎 薄膜・表面海面物性 キーワード:ビーム応用

1. 研究開始当初の背景

At the beginning of this research project the principal investigator was a member of the group responsible for the surface science endstation at SPring-8's beamline 23SU. This endstation is unique for offering the capability of *in situ* studies of the interaction of a supersonic molecular beam with well defined temperature/kinetic energy with surfaces, using high-resolution synchrotron X-ray photoelectron spectroscopy (XPS) and desorption spectroscopy as the principal diagnostic techniques. Also located at the beamline was a similar 'offline' apparatus, offering similar capabilities but making use of a laboratory X-ray source for XPS studies. Since its development, the apparatus had been proved to be an excellent tool for characterizing and understanding the oxidization processes of a wide range of clean surfaces, with benchmark results on the oxidation of Si(111), among others. A logical next step on from using a molecular beam with a well-defined kinetic energy is to use an oriented/aligned beam, where the direction of the (or a) molecular axis is defined.

2. 研究の目的

The aims of the project can be summarized as follows:

- Construct and test an aligned molecular beam source, using the velocity selection technique.
- (2) Improve the offline apparatus at BL23SU to allow for test experiments using the new source.
- (3) Modify the online apparatus to allow for synchrotron XPS studies using the aligned beam source.
- (4) Develop analytical techniques related to understanding the interaction of aligned molecules with clean surfaces.

3. 研究の方法

(1) The technology behind molecular beam sources is well-established, and there are many techniques for extending this to making a beam of aligned or oriented molecules. These include the various laser techniques, using single or multiple pulses, cw sources, and 'field-free For techniques. polar molecules electromagnetic fields can be used. The approach chosen here was to attempt velocity selection. In a seeded beam (for example 0_2 expanded in He), each molecule undergoes a large number of collisions with the seed gas. As well as acting to homogenize the kinetic energy distribution, these collisions can have the effect of aligning the molecules, with the degree of alignment depending on the number of collisions. Since the speed of the molecules also depends on the number of collisions, velocity selection can be used to select molecules with high (or low) degrees of alignment.

(2) (related to 4 from above). In order


to maximize the information available using synchrotron XPS effort was made to develop analytical techniques for extracting depth profile information from angle-resolved photoelectron spectra. This involves recording the kinetic energy spectra of electrons emitted at different angles to the surface normal. Electrons emitted at larger angles have had to pass through larger numbers of layers, and thus spectra recorded at large angles are more

'surface sensitive'. In contrast spectra recorded at 0 degrees to the surface normal can be thought of as 'bulk sensitive'. Electrons emitted from different atoms within the sample have characteristic energies, so recording spectra at several different angles can in principle provide information on the depth distribution of each of the elements present. Combining the technique with photoelectron spectroscopy using synchrotron radiation offers the added advantage that not just individual elements, but also specific sites can be profiled. The approach used in this project was to develop the maximum entropy technique to extract this information, with the ultimate aim of applying this to study the depth profiles of surfaces following interaction with aligned molecular beams.


4. 研究成果

With regard to aims (1) to (3), during the course of this project various aspects of the offline apparatus at beamline 23 were improved in preparation for experiments The velocity using aligned beams. selection technique was investigated theoretically, and parameters determined for a simple velocity selector for selecting aligned 0, molecules seeded in a supersonic helium beam. Concurrently, experiments were carried out online, using synchrotron radiation XPS to study surfaces created using non-aligned beams of O_2 and N_2 , and also using ion implantation. Alongside this work, the technique of depth profiling using angle-resolved XPS data was developed and applied to the data recorded at beamline BL23SU. In more detail: -


 Nitridation of Al. Whereas a clean surface of aluminium readily reacts with oxygen to form Al₂O₃, under normal conditions it does not readily react with nitrogen. However AlN is a



between N_2 molecules with kinetic energies of above 2 eV. Using the apparatus at beamline 23 it has been determined that the reaction threshold is around 1.8 eV. Detailed results of this study are currently being




considered for publication. Figure 1 exemplifies the technique behind the study, with N 1s photoelectron spectra recorded during nitridation. The general trend is that the peak height increases with dose. The peak actually consists of four components, as sown in figure 2. By extracting the magnitudes of these components as a function of dose, figure 3 results, which shows that the different components have different uptake curves. The other salient result seen from figure 3 is that no saturation is observed, implying that no protective layer is



formed at these doses. This is in stark contrast to for example the oxidation of Al, where a protective layer prevents further oxidation. Using the depth profiling technique developed as subject (4)of this project, information on the constituents of the thin film was obtained. The results are shown in figure 4, where it is clear that we can see deep penetration of N into the sample. A similar analysis can be performed for each of the 4 components to the N 1s peak - these

results are currently in preparation for publication.

(2) Study of the composition of the natural oxide layer of VCrTi. VCrTi is well-known as a hydrogen storage material, and as such it is of great interest to understand the surface layers, through which hydrogen must pass through during charge and discharge cycles. The ultimate aim here is to create a well-defined surface layer using aligned molecules. initial step As an we have characterized the surface of a natural oxide layer, and also a surface treated by implantation of D_2 and D ions. Figure 4 shows 0 1s photoelectron spectra recorded at different electron takeoff angles for an untreated VCrTi sample. Using the depth profiling technique developed as subject (4) of this project we have again obtained depth profiles for all 5 of the components of the spectra. Detailed results are currently being prepared as a manuscript for publication, which will also contain related results for samples treated with deuterium ion implantation, to mimic the hydrogen storage process.



5. 主な発表論文等 (研究代表者、研究分担者及び連携研究者に は下線)

〔雑誌論文〕(計1件)

 戸出 真由美、<u>J R Harries</u>、寺岡有殿、 吉越 彰隆、放射光光電子分光による重 水素イオン注入 V₂₅Cr₄₀Ti₃₅表面熱変性 分析、電気学会論文誌 C, 査読有、130-C 巻、2010, 1819-1820

〔学会発表〕(計14件)

- 戸出 真由美, <u>J R Harries</u>, 寺岡 有殿, 吉越 彰隆、水素貯蔵合金 VCrTi および TiFe における表面熱変性と水素脱離温 度特性、金属学会 2011 年春季(第148 回) 大会。(2011)
- 戸出 真由美, <u>J R Harries</u>, 寺岡 有殿, 吉越 彰隆、高分解能軟 X 線放射光光電 子分光によるバナジウム表面酸化膜の 熱変性分析、第 24 回日本放射光学会年 会。(2011)
- ③ 寺岡 有殿, 戸出 真由美, <u>J R Harries</u>, 吉 越 彰 隆、 Influence of oxide over-layer formed by supersonic O₂ molecular beam on deuterium desorption、Nano and Surface Science Approaches to Production and Storage of Hydrogen (2010)
- ④ 戸出 真由美, <u>J R Harries</u>, 寺岡 有殿, 吉越 彰隆、水素貯蔵合金 VCrTi および TiFe における表面熱変性と水素脱離温 度特性、第 51 回真空に関する連合講演 会(2010)。
- ⑤ 戸出 真由美, <u>J R Harries</u>, 寺岡 有殿, 吉越 彰隆, 超音速酸素分子線照射による V 表面酸化膜の形成と D₂昇温脱離との 関係、日本金属学会 2010 年秋季大会。
- (6)戸出 真由美, <u>J R Harries</u>, 寺岡 有殿, 吉越 彰隆、Thermal degradation analysis of deuterium ion implanted hydrogen storage materials (TiFe and $V_{25}Cr_{40}Ti_{35}$) using synchrotron radiation photoelectron spectroscopy, International Symposium "Metal-Hydrogen systems: fundamentals applications" and (Moscow, 2010).
- ⑦ JR Harries, Y Teraoka, A Yoshigoe, AlN thin film formed by exposing Al(111) to 2.0 eV N₂ molecules and studied in real time and in situ using synchrotron XPS. 37th International Conference on Vacuum UltraViolet and X-ray Physics - VUVX2010 (Vancouver, 2010)
- ⑧ 戸出 真由美, J R Harries, Y Teraoka, A Yoshigoe、Thermal degradation process of deuterium ion implanted V₂₅Cr₄₀Ti₃₅ using high-resolution soft X-ray synchrotron radiation

photoelectron spectroscopy、第5回 JAEA 放射光科学シンポジウム「金属水素 化物の物質科学」(2010)

- ⑨ <u>J R Harries</u>, Y Teraoka, A Yoshigoe, Nitridation of Al(111) by supersonic N₂ molecules、第22回日本放射光学会年 会放射光化学合同シンポジウム(2010)
- (10)J R Harries, Y Teraoka, A Yoshigoe, Chemical state resolved depth-profiling using XPS and the entropy method, maximum 5th International Workshop on High-Resolution Depth Profiling (Kyoto, 2009)
- J R Harries, Y Teraoka, A Yoshigoe. In situ XPS depth-profiling of hydrogen storage material VCrTi during thermal annealing, AVS 56th International Symposium & Exhibition (San Jose, 2009)
- ① <u>J R Harries</u>, Y Teraoka, A Yoshigoe, Chemical-state resolved depth-prof iling using angle-resolved X-ray ph otoelectron spectroscopy and the ma ximum entropy method. International Workshop on Electronic Spectroscop y for Gas-phase molecules and solid surfaces (Matsushima, 2009)
- (B) <u>J R Harries</u>, Y Teraoka, A Yoshigoe, Depth-profiling using angular-resolved X-ray photoelectron spectroscopy and the maximum entropy method, 5th International Workshop on Reactions Involving Oxygen&Hydrogen (Suita, 2009)
- ④ <u>J R Harries</u>, Y Teraoka, A Yoshigoe, Nitridation on Al(111) by an energetic N₂ beam, 第 25 回化学反応討論会(2009)

〔図書〕(計0件)
〔産業財産権〕
○出願状況(計0件)
○取得状況(計0件)

〔その他〕 なし 6. 研究組織

(1)研究代表者
 HARRIES, James (ハリーズ・ジェームズ)
 日本原子力研究開発機構
 量子ビーム応用研究部門
 量子ビーム物性制御・解析技術
 研究ユニット
 コヒーレントX線利用研究グループ
 研究者番号: 30416383

(2)研究分担者 (なし)

(3)連携研究者 (なし)

- (4) 研究協力者
 - ・ 寺岡 有殿 (てらおか ゆうでん) 日本原子力研究開発機構 量子ビーム応用研究部門 量子ビーム反応制御・解析技術 研究ユニット 表面反応ダイナミックス 研究グループ 主任研究員/グループリーダー
 - ② 戸出 真由美(とで まゆみ) 日本原子力研究開発機構 量子ビーム応用研究部門 量子ビーム反応制御・解析技術 研究ユニット 表面反応ダイナミックス 研究グループ
 - ③ 吉越 彰隆 (よしごえ あきたか) 日本原子力研究開発機構 量子ビーム応用研究部門 量子ビーム反応制御・解析技術 研究ユニット 表面反応ダイナミックス 研究グループ 副主任研究員